

# Material Safety Data Sheet



## Section 1. Product and company identification

- Product name** : **FAST-TRAK** **Code** : 7120
- Product description** : Sanitizing chlorinated whitening detergent for cutting boards  
- Ready to use
- Supplier/Manufacturer** : **CHOISY LABORATORIES LTD.** **Phone: (819) 228-5564**  
**390, St-Laurent East, P.O. Box 6** **E-mail: info@choisy.com**  
**Louiseville (Quebec) J5V 2L7** **www.choisy.com**
- In case of emergency** : **Quebec Poison Control Centre: (24 hours service)**  
-Quebec: (800) 463-5060 (no charge)  
-All other places: (418) 656-8090  
**CANUTEC: (613) 996-6666 (collect)**

## Section 2. Hazards identification

- Physical state** : Liquid. [Transparent liquid.]
- Signal word** : DANGER!  
CAUSES EYE AND SKIN BURNS. MAY CAUSE RESPIRATORY TRACT IRRITATION.  
**See toxicological information (Section 11)**

## Section 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
- Sodium hypochlorite	7681-52-9	5 - 10
- Dimethylauramine Oxide	1643-20-5	1 - 5

## Section 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention immediately.
- Ingestion** : If affected person is conscious, give plenty of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention immediately.

## Section 5. Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.
- Flash point** : Closed cup: >93.3°C [Pensky-Martens, closed cup.] [Product does not sustain combustion.]
- Extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

## Section 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Do not touch or walk through spilled material. Provide adequate ventilation. Put on appropriate personal protective equipment.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## Section 6. Accidental release measures

**Methods for cleaning up** : Stop leak if without risk. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

**Handling** : Put on appropriate personal protective equipment. Do not ingest. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray. Use only with adequate ventilation. Keep away from acids. Manipulate with care, avoid splashes.

**Storage** : Store in accordance with local regulations. Keep out of reach of children. Store away from direct sunlight. Do not store in unlabeled containers. Separate from acids. Keep container tightly closed in a cool, well-ventilated place.

## Section 8. Exposure controls/personal protection

**Engineering measures** : Use only with adequate ventilation. If user operations generate vapor aerosols or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protection

**Eyes** : Wear eye protection against chemical splashes.

**Hands** : Wear chemical-resistant, impervious gloves.

**Respiratory** : No respiratory protection required under normal handling conditions. Wear appropriate respirator when ventilation is inadequate.

**Other** : Wear appropriate protective clothing to prevent skin contact.

### Industrial Hygiene - Occupational Exposure Limits

#### Ingredient

- Sodium hypochlorite

#### Exposure limits

ACGIH TLV (United States).

TWA: 0.5 ppm

Consult local authorities for acceptable exposure limits.

## Section 9. Physical and chemical properties

**Physical state** : Liquid. [Transparent liquid.]

**Color** : Yellow. [Light]

**Odor** : Chlorine.

**pH** : 12.5 to 13.5

**Viscosity** : Dynamic (room temperature): Not applicable.  
Kinematic (room temperature): 4 to 7 cm<sup>2</sup>/s (400 to 700 cSt)

**Relative density** : 1.1 to 1.12

**Solubility** : Easily soluble in the following materials: cold water and hot water.

## Section 10. Stability and reactivity

**Chemical stability** : The product is stable.

**Conditions to avoid** : No specific data.

**Materials to avoid** : Reactive or incompatible with the following materials:  
acids

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**Section 11. Toxicological information****Potential acute health effects**

- Eyes** : Corrosive to eyes. Causes burns.  
**Skin** : Corrosive to the skin. Causes burns.  
**Inhalation** : The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.  
**Ingestion** : May cause burns to mouth, throat and stomach.

**Potential chronic health effects**

- Carcinogenic Effects** : No known significant effects or critical hazards.  
**Mutagenic Effects** : No known significant effects or critical hazards.  
**Teratogenic Effects** : No known significant effects or critical hazards.  
**Reproductive effects** : No known significant effects or critical hazards.  
**Sensitizer** : No known significant effects or critical hazards.

**Toxicity data**

Product/ingredient name	Test	Species	Result
- Sodium hypochlorite	LD50 Dermal	Rabbit	10000 mg/kg
	LD50 Oral	Rat	8910 mg/kg
- Dimethylauramine Oxide	LD50 Dermal	Rabbit	521 mg/kg
	LD50 Oral	Rat	601 mg/kg

**Section 12. Ecological information**

- Ecotoxicity** : No known significant effects or critical hazards.  
Phosphate-free product.
- Biodegradability** : Organic components are readily biodegradable based on OECD tests of the 301 serie (A to F)

**Aquatic ecotoxicity**


Product/ingredient name	Result	Species	Exposure
- Dimethylauramine Oxide	Acute LC50 2.6 to 3.5 mg/l	Fish	96 hours

**Section 13. Disposal considerations**

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Consult your local or regional authorities.**

**Section 14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>TDG Class</b>	UN1791	HYPOCHLORITE, SOLUTION	8	III		<b>Remarks</b> Limited quantity in 5L or less

PG\* : Packing group

**Section 15. Regulatory information****WHMIS (Canada) : E**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**Section 16. Other information****Date of issue :** 2015-11-05.**Prepared by:** Department of Research and Development of Choisy Laboratories Ltd.**Phone:** (819) 228-5564**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.